

**SEEGER**  
architectural lighting




 **2011**

UNIK  
TECNA  
CENDOR  
TERRA  
GERONE



#### **UNIK Surface-Mounted Luminaire**

This round panel of light is particularly suitable for uniform ambient lighting. High illuminance levels are achieved using ring-form fluorescent lamps in single-flame and double-flame formats. Since a high-quality diffuser is used, the resultant freedom of glare means this luminaire can be wall-mounted without problem. The indirect component of light lends the UNIK a floating character.





**UNIK Surface-Mounted Luminaire**

Equipped for 1- to 2-flame, 22W to 55W T5 FC ring-form fluorescent lamps. Luminaire with electronic control gear. Strong, one-piece housing made of aluminium in white or to RAL standard with inserted diffuser. Prewired with heat-resistant cable and ready-to-connect. Terminal block of through-wiring, 3-pole.

**Direct/indirect Lighting Technology**

Diffuser pane made of special, highly dispersing, translucent acrylic. Diffuser surface is satin-matt opal.









		Article No. ECG				Lamp version		Version	
								Acrylic diffuser	White Made to RAL
	Ø=430mm	4150.140	.-02	1 x T5 FC	40W	●	●	○	
	H=105mm	4150.155	.-02	1 x T5 FC	55W	●	●	○	
	Ø=430mm	4150.162	.-02	1 x T5 FC	40W	●	●	○	
	H=105mm			+ 1 x T5 FC	22W				
		4150.177	.-02	1 x T5 FC	55W	●	●	○	
				+ 1 x T5 FC	22W				



## TECNA

Wall/ceiling luminaire with a strong character. Straight and sharp edged industrial design. Equipped to fulfil high wattages lighting needs. Direct light distribution by additional allround brightening. Aluminium and steel luminaire corpus. Silver C3 powder lacquered surface. Other colours available. The luminaires are covered with a full-surface, frosted genuine glass diffuser.





#### **TECNA-Q**

Square surface luminaire for wall and ceiling in three different sizes. This luminaire for Compact Fluorescent lamps has an electronic control gear. Standard colour silver C3. Luminaire covered with a complete satinated genuine glass diffuser.

#### **TECNA-R**

Round surface luminaire for wall and ceiling in three different sizes. This luminaire for Compact Fluorescent lamps has an electronic control gear. Standard colour satinated white. Luminaire covered with genuine white flashed glass diffuser.



## Wall Luminaire Direct/Indirect

Luminaire corpus made of powder-coated aluminium and steel. Glass diffuser retained by 4 point fastening. For Compact Fluorescent lamps with electronic control gear. Prewired and ready for installation with terminal blocks 3-pole for through wiring.

			<b>TC-De</b>  13W G24q-1	18W G24q-2	<b>TC-SE</b>  9W 2G7
			<b>TC-F</b>  24W 2G10	36W 2G10	<b>TC-L</b>  18-36W 2G11
			<b>T5 FC</b>  22W 2GX13	40W 2GX13	55W 2GX13




		Article No.	ECG	Lamp version	Configuration	
	Ø=300mm T = 95mm	8627.209	.-02	2 x TC-Se 9 W	<input type="radio"/>	<input type="radio"/>
		8627.213	.-02	2 x TC-De 13 W	<input type="radio"/>	<input type="radio"/>
		8627.218	.-02	2 x TC-De 18 W	<input type="radio"/>	<input type="radio"/>
	Ø=380mm T = 95mm	8628.218	.-02	2 x TC-L 18 W	<input type="radio"/>	<input type="radio"/>
		8628.224	.-02	2 x TC-F 24 W	<input type="radio"/>	<input type="radio"/>
		8628.236	.-02	2 x TC-F 36 W	<input type="radio"/>	<input type="radio"/>
	Ø=500mm T = 95mm	8629.318	.-02	3 x TC-L 18 W	<input type="radio"/>	<input type="radio"/>
		8629.324	.-02	3 x TC-L 24 W	<input type="radio"/>	<input type="radio"/>
		8629.236	.-02	2 x TC-F 36 W	<input type="radio"/>	<input type="radio"/>
		8629.140	.-02	1 x T5 FC 40 W	<input type="radio"/>	<input type="radio"/>
		8629.155	.-02	1 x T5 FC 55 W	<input type="radio"/>	<input type="radio"/>
		8629.162	.-02	1 x T5 FC 40 W + 1 x T5 FC 22 W	<input type="radio"/>	<input type="radio"/>


White  
Made to RAL



**Wall Luminaire Direct/Indirect**

Luminaire corpus made of powder-coated aluminium and steel. Glass diffuser retained by 4 point fastening. For Compact Fluorescent lamps with electronic control gear. Prewired and ready for installation with terminal blocks 3-pole for through wiring.

		Article No. ECG Lamp version				Configuration		
						Silver C3	White	Made to RAL
	A= 270mm	8624.209	.-02	2 x TC-Se	9 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	B= 270mm	8624.213	.-02	2 x TC-De	13 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	C= 95mm	8624.218	.-02	2 x TC-De	18 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	A= 380mm	8625.218	.-02	2 x TC-L	18 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	B= 380mm	8625.224	.-02	2 x TC-F	24 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	C= 95mm	8625.236	.-02	2 x TC-F	36 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	A= 550mm	8623.324	.-02	3 x TC-L	24 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	B= 550mm	8623.236	.-02	2 x TC-L	36 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	C= 95mm	8623.336	.-02	3 x TC-L	36 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		8623.154	.-02	1 x T5 FC	55 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		8623.176	.-02	1 x T5 FC + 1 x T5 FC	40 W 22 W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>






**CENDOR Round**  
**CENDOR Square**



High performance wall luminaire with decorative glass diffuser. Glare-free due to perforated steel corpus. Indirect and direct illumination via surface and diffuser. Luminaire equipped with Compact Fluorescent lamp. Application as decorative eye catcher or, because of the high performance equipment varieties available, also suitable for public area illumination in corridors and stairways.





### Wall Luminaire

Sheet metal luminaire corpus powder coated Silver C3, covered with partially satinated genuine glass diffuser and pre-mounted perforated anti-glare pane. Luminaire equipped for TC-Te Compact Fluorescent lamp up to 42W with integrated electronic control gear. Prewired and ready for installation with heat resistant cable and terminal block 3-pole.



					Configuration		
					Silver C3	White	Made to RAL
		Article No.	ECG	Lamp version			
	H= 340mm	8245.118	.-02	1 x TC-De 18 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	W=340mm	8245.132	.-02	1 x TC-Te 26/32 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	D= 80mm	8245.142	.-02	1 x TC-Te 42 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	H= 410mm	8240.118	.-02	1 x TC-De 18 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	W=410mm	8240.132	.-02	1 x TC-Te 26/32 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	D= 80mm	8240.142	.-02	1 x TC-Te 42 W	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>



## **TERRA**

Wall luminaire with curved and satinated genuine glass shield and floating microperforated metal diffuser for soft and glare-free light. For use in hotel corridors and stairways as well as in entrance halls of senior residences and public buildings. Due to many powerful light sources any illumination intensities required can be achieved.



**Wall Luminaire**


Sheet metal luminaire housing in powder coated white with visible elements in silver C3. Any other special RAL color also possible. Floating and curved glass diffuser. Luminaire equipped for Compact Fluorescent lamp 2 flame with integrated electronic control gear. Prewired for installation with heat resistant cable and terminal block 3-pole for through wiring. Emergency light functions possible.







9W
267

11W
267



18W
G24q-2

26W
G24q-3

	Article No.	ECG	Lamp version		
	W=280mm	8423.209	.-02	2 x TC-Se	9-11 W
	H= 316mm	8423.218	.-02	2 x TC-De	18 W
	D= 125mm	8423.226	.-02	2 x TC-De	26 W

Configuration	
Silver C3	<input type="radio"/>
Made to RAL	<input type="radio"/>

# TERRA



## TERRA

Decorative wall luminaire with curved and satinated genuine glass diffuser for soft glare-free light. Using high performance light sources, these luminaires are suitable for basic light output. Usual applications are corridors and stairways in hotels and other public places. Emergency lighting possible (AC/DC battery).




# GERONE

---




## GERONE

Luminaire with modular, slided in genuine glass cover. The technical impression due to visible thick walled steel frame reception. Installation possible as single luminaire.



## GERONE

Luminaire with slot-on genuine glass cover. Decorative appearance due to the visible thick walled insert frame. Installation possible as single luminaire or as strip assembly.





## Imprint

**SEEGER**

Technische Leuchten e. K.  
Schwerter Str. 324  
D-44287 Dortmund  
Germany

Tel: +49 231- 44 10 92

Fax: +49 231- 44 10 76

[info@seeger-licht.de](mailto:info@seeger-licht.de)

[www.seeger-licht.de](http://www.seeger-licht.de)

VAT ID no.: DE 124779953

Tax no.: 315/5231/0060

Amtsgericht Dortmund

(Local first-instance court)

Commercial Register No.: HRA 16 133

## General Information

All previous catalogues and the statements made therein are null and void with the publication of this issue. We reserve the right to make technical and formal changes to the listed products. The catalogue may contain errors. The lighting data, technical specifications and dimensions and the representational images and drawings shown in this catalogue are unbinding. All stated measurements are approximate and, unless otherwise stated, are given in millimetres. Unless otherwise stated, illuminants do not form part of the shipment. All brand names are the property of their rightful owners and serve only for descriptive purposes.